

Jumbo

Basic series of table-top models equipped for professional usage, at the best available price. Perfect fit for first time vacuum packaging experiences. Cover your packaging needs. Let Jumbo convince you!




Jumbo



“Compact machine, ‘Jumbo’ results. Easy to use, easy to clean.”

MINI JUMBO/JUMBO PLUS



PUMP CAPACITY
4 m³/h (MJ), 8 m³/h (JP)

MACHINE CYCLE
25-60 sec (MJ), 15-35 sec (JP)

CHAMBER DIMENSIONS
310 x 280 x 85 mm

MACHINE DIMENSIONS
450 x 335 x 305 mm

SEAL BAR 280 mm

WEIGHT 26 kg (MJ), 32 kg (JP)


VOLTAGE 230V-1-50Hz

POWER 0,30 kW (MJ), 0,40 kW (JP)

STANDARD
TIME CONTROL, DOUBLE/
CUT-OFF SEAL

OPTIONS
SENSOR CONTROL,
HIGH LID (H 130 MM)

JUMBO 30/35



PUMP CAPACITY
8 m³/h (J30), 16 m³/h (J35)

MACHINE CYCLE
20-40 sec (J30), 15-30 sec (J35)

CHAMBER DIMENSIONS
370 x 350 x 150 mm

MACHINE DIMENSIONS
555 x 450 x 365 mm (J30)
555 x 450 x 405 mm (J35)

SEAL BAR 350 mm

WEIGHT 44 kg (J30), 51 kg (J35)

VOLTAGE 230V-1-50Hz

POWER 0,40 kW (J30), 0,55 kW (J35)

STANDARD
TIME CONTROL, DOUBLE/
CUT-OFF/WIDE SEAL (8 MM)

OPTIONS
SENSOR CONTROL

The chamber dimensions listed refer to the usable space in the vacuum chamber (length x width x height). The machine dimensions listed refer to length x width x height. Other voltages available. Textual and printing errors reserved.

Jumbo



JUMBO 42

Standard



Option



PUMP CAPACITY 16 m³/h

MACHINE CYCLE 20-40 sec

CHAMBER DIMENSIONS

370 x 420 x 180 mm

MACHINE DIMENSIONS

530 x 490 x 440 mm

SEAL BAR 420 mm

WEIGHT 58 kg

VOLTAGE 230V-1-50Hz

POWER 0,55 kW

STANDARD

TIME CONTROL, DOUBLE/CUT-OFF/
WIDE SEAL (8 MM)

OPTIONS

SENSOR CONTROL, 2ND SEAL BAR



JUMBO 42XL/42XXL

Standard



Option



PUMP CAPACITY

16 m³/h (J42XL), 21 m³/h (J42XXL)

MACHINE CYCLE

20-40 sec

CHAMBER DIMENSIONS

460 x 420 x 180 mm

MACHINE DIMENSIONS

615 x 490 x 440 mm (J42XL)

615 x 490 x 470 mm (J42XXL)

SEAL BAR 420 mm

WEIGHT 65 kg (J42XL),

70 kg (J42XXL)

VOLTAGE 230V-1-50Hz

POWER 0,55 kW (J42XL)

0,75 - 1,0 kW (J42XXL)

STANDARD

TIME CONTROL, DOUBLE/CUT-OFF/
WIDE SEAL (8 MM)

OPTIONS

SENSOR CONTROL, 2ND SEAL BAR

The chamber dimensions listed refer to the usable space in the vacuum chamber (length x width x height). The machine dimensions listed refer to length x width x height. Other voltages available. Textual and printing errors reserved.

